

51644	2-[N-methylperfluorooctanesulfonamido] acetic acid	1 - Effluent Gross	0	--	Sample	<	5.1	<	5.1	3M - ng/L	01/30 - Monthly	GR - GRAB
					Permit Req.		Req Mon 30DA AVG		Req Mon DAILY MX	3M - ng/L	01/30 - Monthly	GR - GRAB
					Value NODI							
52602	Perfluorobutanesulfonic acid	1 - Effluent Gross	0	--	Sample	<	20.0	<	20.0	3M - ng/L	01/30 - Monthly	GR - GRAB
					Permit Req.		Req Mon 30DA AVG		Req Mon DAILY MX	3M - ng/L	01/30 - Monthly	GR - GRAB
					Value NODI							
52603	Perfluorodecanesulfonic acid	1 - Effluent Gross	0	--	Sample	<	2.0	<	2.0	3M - ng/L	01/30 - Monthly	GR - GRAB
					Permit Req.		Req Mon 30DA AVG		Req Mon DAILY MX	3M - ng/L	01/30 - Monthly	GR - GRAB
					Value NODI							
52604	Perfluoroheptanesulfonic acid	1 - Effluent Gross	0	--	Sample	<	2.0	<	2.0	3M - ng/L	01/30 - Monthly	GR - GRAB
					Permit Req.		Req Mon 30DA AVG		Req Mon DAILY MX	3M - ng/L	01/30 - Monthly	GR - GRAB
					Value NODI							
52605	Perfluorohexanesulfonic acid	1 - Effluent Gross	0	--	Sample	=	4.24	=	4.24	3M - ng/L	01/30 - Monthly	GR - GRAB
					Permit Req.		Req Mon 30DA AVG		Req Mon DAILY MX	3M - ng/L	01/30 - Monthly	GR - GRAB
					Value NODI							
52606	Perfluorooctanesulfonic acid	1 - Effluent Gross	0	--	Sample	=	3.3	=	3.3	3M - ng/L	01/30 - Monthly	GR - GRAB
					Permit Req.		Req Mon 30DA AVG		Req Mon DAILY MX	3M - ng/L	01/30 - Monthly	GR - GRAB
					Value NODI							
52607	4:2 Fluorotelomer sulfonic acid	1 - Effluent Gross	0	--	Sample	<	2.0	<	2.0	3M - ng/L	01/30 - Monthly	GR - GRAB
					Permit Req.		Req Mon 30DA AVG		Req Mon DAILY MX	3M - ng/L	01/30 - Monthly	GR - GRAB
					Value NODI							
X 52608	6:2 Fluorotelomer sulfonic acid	1 - Effluent Gross	0	--	Sample					3M - ng/L	01/30 - Monthly	GR - GRAB
					Permit Req.		Req Mon 30DA AVG		Req Mon DAILY MX	3M - ng/L	01/30 - Monthly	GR - GRAB
					Value NODI		P - Laboratory Error or Invalid Test		P - Laboratory Error or Invalid Test			
52609	8:2 Fluorotelomer sulfonic acid	1 - Effluent Gross	0	--	Sample	<	2.0	<	2.0	3M - ng/L	01/30 - Monthly	GR - GRAB
					Permit Req.		Req Mon 30DA AVG		Req Mon DAILY MX	3M - ng/L	01/30 - Monthly	GR - GRAB
					Value NODI							
52610	Perfluoropentane sulfonic acid	1 - Effluent Gross	0	--	Sample	<	2.0	<	2.0	3M - ng/L	01/30 - Monthly	GR - GRAB
					Permit Req.		Req Mon 30DA AVG		Req Mon DAILY MX	3M - ng/L	01/30 - Monthly	GR - GRAB
					Value NODI							
52611	Perfluorononane sulfonic acid	1 - Effluent Gross	0	--	Sample	<	2.0	<	2.0	3M - ng/L	01/30 - Monthly	GR - GRAB
					Permit Req.		Req Mon 30DA AVG		Req Mon DAILY MX	3M - ng/L	01/30 - Monthly	GR - GRAB
					Value NODI							
52612	Hexafluoropropylene oxide dimer acid	1 - Effluent Gross	0	--	Sample	<	4.1	<	4.1	3M - ng/L	01/30 - Monthly	GR - GRAB
					Permit Req.		Req Mon 30DA AVG		Req Mon DAILY MX	3M - ng/L	01/30 - Monthly	GR - GRAB
					Value NODI							
87006	PFAS Sum	1 - Effluent Gross	0	--	Sample	=	10.53	=	10.53	3M - ng/L	01/30 - Monthly	CA - CALCTD
					Permit Req.		Req Mon 30DA AVG		Req Mon DAILY MX	3M - ng/L	01/30 - Monthly	CA - CALCTD
					Value NODI							

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

Code	Parameter Name	Monitoring Location	Field	Type	Description	Acknowledge
52608	6:2 Fluorotelomer sulfonic acid	1 - Effluent Gross	All	Soft	EPA's NPDES national data system recognizes the selected No Data Indicator (NODI) code as a reporting violation. NPDES permittees are responsible for ensuring full compliance with their permits, the Clean Water Act, and state law.	Yes

Comments

See cover letter regarding 6:2 Fluorotelomer sulfonic acid.

Attachments

Name	Type	Size
CO0026638_Apr_2023_Cover_Letter_PFAS.pdf	pdf	180505.0

Report Last Saved By

Metro Water Recovery

User: ACLEMENTS
Name: Amanda Clements
E-Mail: aclements@metrowaterrecovery.com
Date/Time: 2023-05-27 16:44 (Time Zone: -06:00)

Report Last Signed By

User: jrobinett@mwr.dst.co.us
Name: Jennifer Robinett
E-Mail: jrobinett@mwr.dst.co.us
Date/Time: 2023-05-27 19:11 (Time Zone: -06:00)